## May 21, 2015

#### **INVITATION TO BID #15-44**

Sealed bids for the rehabilitation of houses under the critical repair grant program (CRGP), will be received by the Purchasing Agent, Room P-100 First Floor City Hall, Birmingham, Alabama, until 2:00 p.m., June 25, 2015, at which time and place they will be publicly opened and read.

Bidders wishing to bid can download the complete solicitation including the specifications and bid forms via the internet at <a href="www.birminghamal.gov">www.birminghamal.gov</a> (go to the link titled **Bidding Opportunities)**, or by visiting the Purchasing Office at the address shown above, or by calling (205) 254-2265, fax (205) 254-2484 and requesting a copy be mailed to you. Each potential bidder may obtain one copy of the bid package free of charge. Additional copies are available at a cost of \$0.15/page – non refundable. Any addenda will be available on the internet. Bidder is responsible for checking the website for addenda until end of the day of scheduled bid opening. Addenda will be mailed to only those vendors who were provided a copy in person or by mail.

A certified check, cashier's check, money order or acceptable bid bond, in the name of the bidder and made payable to the City of Birmingham in the amount of \$1,000.00 must accompany your bid. Bid bond checks will be returned to all unsuccessful bidders after the formal award is made and to the successful bidder after acceptance of award. Should the successful bidder fail to accept the award, the bid bond or check shall be forfeited.

The City follows a policy of nondiscrimination. No contractor with the City should discriminate on the basis of race, sex, religion or national origin. Failure by the Vendor to carry out these requirements is a material breach of its obligations, which may result in its termination or such other remedy as the City deems appropriate.

No bid may be withdrawn for a period of sixty (60) days after the date of the bid opening.

The City reserves the right to reject any or all bids submitted, parts of bids, and to waive any informalities.

Bids must be submitted in a sealed envelope marked, "SEALED BID – CRGP House Rehabilitation - 2:00 p.m. - "6/25/15". Bids may be <u>hand delivered</u> to Room P-100 First Floor City Hall, Birmingham, Alabama or <u>mailed</u> to City of Birmingham, P.O. Box 11295, Birmingham, Alabama 35202-1295. (DO NOT MAIL BIDS TO ROOM P-100 FIRST FLOOR CITY HALL.) However, bids sent by any express carrier, (Federal Express, UPS, Airborne, etc.), must be mailed to 710 North 20th Street, and specify delivery to Room P-100 First Floor City Hall.

The City is not responsible for delays occasioned by the U.S. Postal Service, the internal mail delivery system of the City, or any other means of delivery employed by the bidder. Similarly, the City is not responsible for, and will not open, any bid/proposal responses, which are received later than 2:00 p.m.

It is the bidder's responsibility to make sure that his bid is in the possession of the Purchasing Agent on or before 2:00 p.m., June 25, 2015. Bids received after this time will not be considered.

W. E. Caffee, Assistant, Purchasing Agent

yc B.N. 06/03/15

### **GENERAL:**

The City of Birmingham is seeking bids for the rehabilitation of houses under the critical repair grant program (CRGP) funded by the Federal Government. Each project (address) is funded in an amount not to exceed \$7,500.00 total. Work write-ups have been structured based on reasonable estimates to ensure the allowable grant amount is not exceeded. NO AWARD WILL BE MADE FOR AN AMOUNT GREATER THAN \$7,500.00/PROJECT(address). Award will be made to the lowest priced responsive, responsible bidder for each individual project (address).

By definition the repairs are critical to maintain the safety and stability of the structures. Bidders may bid on one or all projects (addresses); however bidder must be able to complete all work awarded to him/her in no more than 90 calendar days (all time is to be considered calendar days unless otherwise stated) from receipt of purchase order (s) or 94 calendar days from date purchase order was printed, whichever is the longer period of time. Each bidder shall state on the bid form the number of days he will require to complete the rehabilitation of each specific house bid. Based on this information, the City will not award any one contractor more houses than can be completed within a cumulative total of 90 calendar days. **EX:** Low bidder states 30 days/house (address) completion time for all houses bid. Since the maximum allowable total time for completion for the houses awarded to one contractor is 90 days, this contractor will be awarded three (3) houses (30 days X = 90 days). The remaining houses will be awarded to the next low bidder (s) in the same manner as the given example. Failure to comply with the completion time as stated will result in assessment of late charges at a rate of \$50.00 for each calendar day (for a maximum of 10 calendar days) over the stated completion time. Late charges will be deducted from vendor's (bidder's) invoice.

Anytime there is a completion time frame overlap of a prior bid award with a current bid opening and award process, the City reserves the right to take into consideration the existing work not yet completed on the prior award in determining the number of houses a contractor is eligible to be awarded under the newly opened bid based on the 90 day completion time requirement. **EX:** Contractor has 45 days worth of work not yet completed under a prior award. The contractor is therefore eligible to receive award of the number of houses he can complete in 45 days based on his current bid. Contractor states he can complete each house in 15 days; therefore, he can be awarded 3 houses under the new bid (45 days worth of work not yet completed + 3 houses X 15 days/houses = 90 day maximum allowable time frame for completion of work).

Three (3) failures by a vendor in a twelve (12) month period to complete awarded projects within the stated completion time frame will force the City to determine the vendor to be a non-responsible vendor, and that vendor will not have future bids considered for a period of twelve (12) months.

Contractors/Subcontractors on the U.S. Department of Housing and Urban Development's List of Debarred Contractors will not be considered eligible for consideration of award for any contract.

Time extensions will not be given except in extreme situations (i.e. significant rainfall for a lengthy period of time, etc.). Extensions will not be considered for things such as short periods of inclement weather, equipment problems, personal problems, labor problems, etc. In the event the vendor feels he/she has an extreme situation, the vendor must contact the Purchasing Division when the extreme situation occurs, or as soon as possible after the extreme situation occurs if during non-City work hours and prior to the scheduled completion date and provide a justification for the requested extension. If necessary, the Purchasing Division shall contact Community Development Department.

Assuming the delay is justified as an extreme situation, then a revised completion date will be determined by a signed modification to the Purchase Order(s). Unless an extension has been granted <u>in writing</u> by the Purchasing Division, the work is to be completed by the original due date.

For any project award valued at an amount equal to or greater than \$10,000.00, the contractor (bidder) must be licensed as a home builder by the Home Builders Association or have a General Contractor's license with the license number being lower than 18908. License number must appear on the bid form provided, and copy of the current license must be submitted with your bid.

The City will issue purchase order(s) to the successful bidder for the goods and/or services (bid items) that are the subject of the bid. Unless otherwise agreed in a writing that is signed by both parties, the entire agreement between the City and the successful bidder concerning the bid items is comprised of the terms, conditions, specifications and requirements stated in (a) the contemplated purchase order(s), (b) this Invitation to Bid and Specifications and (c) your bid (collectively, the "Contract Requirements"). These writings supersede all former proposals, offers, negotiations, representations or agreements, either written or oral, concerning the provision of vendor's goods and/or services. By acceptance of the City's purchase order(s), the successful vendor agrees to abide by and perform its responsibilities related to the bid items in compliance with the Contract Requirements.

Vendor must have a purchase order from the City of Birmingham stating the specific address for each structure to be rehabilitated before starting any work under this contract. Any work started by the vendor prior to receipt of a purchase order is at the vendor's own risk and expense. The City will not pay for any work unless a purchase order was issued before the work was initiated.

Successful bidder(s) shall not assign this contract to any other party without prior written approval of the City of Birmingham. Contract shall not be assigned to an unsuccessful bidder who was rejected because he was not a responsible bidder, or contractor on the U.S. Department of Housing and Urban Development's List of Debarred Contractors.

The contract shall become effective from the date in the Notification of Award letter which will be mailed to the successful vendor.

The City's standard payment terms are net 30 days from acceptance. Exceptions may be allowed for discounted early payments, such as 2% 10 net 30 days. The City will not consider any bids requiring C.O.D. payments.

Any questions concerning these specifications should be addressed to the Purchasing Division, attn: Yolanda Cox, at (205) 254-2878 - Fax (205) 254-2484, between the hours of 8:00 a.m. and 4:00 p.m. Monday through Friday.

Failure to adhere to any or all terms and conditions as set forth in the contract may result in the immediate termination of the contract. Should termination occur, the holder of the contract may be declared a "non-responsible vendor". This declaration may result in the rejection of any future bids submitted by the vendor for a period of time to be determined by the City.

The bidder's attention is directed to the fact that all applicable state laws, municipal ordinances and rules and regulations of the authorities having jurisdiction over the work to be performed shall apply to the Contract throughout, and they will be deemed to be included in the Contract as though written out in full in the Contract.

Bidder (and its employees, agents and any subcontractors) shall not discriminate on the basis of race, color, national origin, or sex, in the performance of the services contemplated hereunder. Failure by the Vendor to carry out these requirements is a material breach of its obligations, which may result in its termination or such other remedy as the City deems appropriate.

Contract award to purchase the service covered in this bid document shall be construed under and governed by the law of the State of Alabama and each party thereto irrevocably agrees to be subject to the jurisdictions of the courts of the State of Alabama.

Bidder acknowledges and agrees that, consistent with federal law and City's public policy, it will encourage disadvantaged business enterprise (DBE) participation to the extent permitted by law. A "disadvantaged business enterprise" is a for-profit small business concern (i) at least 51% owned by one or more individuals who are both socially and economically disadvantaged or, in the case of a corporation, in which 51% of the stock is owned by one or more such individuals; and (ii) whose management and daily business operations are controlled by one or more of the socially and economically disadvantaged individuals who own it. In accordance with federal law, a "socially and economically disadvantaged individual" includes African-Americans, Hispanic Americans, Native Americans, Asian-Americans, women, and any additional groups designated as socially and economically disadvantaged by the federal Small Business Administration.

Successful bidder acknowledges and agrees that the City has the right to deduct from total amount of consideration to be paid, if any, to the successful bidder under this agreement all unpaid, delinquent, or overdue license fees, taxes, fines, penalties and other amounts due the City from the successful bidder.

Any potential bidder who is not currently set up as a vendor in the City of Birmingham vendor file, will be required to submit a completed W-9 tax form prior to any bid award. W-9 tax form may be submitted with your bid or no later than seven (7) working days of receipt of notice of intent to award.

The City of Birmingham must have a copy of the successful bidder's current City of Birmingham business license prior to formal award of contract. Each bidder may submit a copy of his/her license along with his/her bid. However, bidder must provide a copy of his/her current business license no later than seven (7) working days of receipt of notice of intent to award. Failure to submit the requested information will result in the notice of intent to award being revoked.

Successful Vendor (located in the State of Alabama or located outside of the State of Alabama, but employs one or more employees within the State of Alabama)represents and warrents that it does not knowingly employ, hire for employment, or continue to employ an "unauthorized alien", as defined by the Beason-Hammon Alabama Taxpayer and Citizen Protection Act, Act No. 2011-535 (H.B.56) of the Alabama Legislature, as amended from time to time (the "Act") and that, during the performance of this contract, Vendor shall participate in the E-Verify program as required under the term of the Act. Vendor agrees to comply with all applicable provisions of the Act. As a condition for the award of any contract, Vendor shall provide documentation establishing that the Vendor is enrolled in the E-Verify program, or a signed, written statement that the Vendor does not have a presence (one or more employees) in the State of Alabama.

Vendor may submit applicable documentation with his/her bid or no later than seven (7) working days of receipt of notice of intent to award. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the contract/agreement and shall be responsible for all damages resulting therefrom.

#### Section A

- 1. <u>SCOPE</u> of the work shall include all labor, materials, equipment, permits, drawings, (if any) and services necessary for the proper completion of the rehabilitation of the property identified in the WORK WRITE-UP.
- 2. <u>THE WORK WRITE-UP</u> shall take precedence over this Standard Specification and when in conflict, the material, equipment and workmanship called for in the work write-up will be required.

## 3. SPECIFICATIONS:

Please see the attached specifications and pricing section for each project. Bidder may elect to submit bids for one or all projects.

Use of specific brand names and numbers is not intended to restrict the bidding of any seller and/or manufacturer, but is solely for the purpose of indicating the type, size and quality of materials, products, service, or other equipment considered best adapted to the City's intended use. All materials are to be new: no used, remanufactured or refurbished materials will be considered acceptable.

Proprietary specifications may be waived for functional equivalents offered. Functional equivalents are subject to the approval of the Community Development Department.

- 4. <u>CHANGES IN THE WORK</u> including substitutions of materials, change in the scope or workmanship required by these specifications, which may be proposed by the Contractor, or found necessary or desirable as the work progresses, shall be in writing with price change given, and shall be approved by the Contractor, Owner, and the Housing Division of the Department of Community Development, City of Birmingham, Alabama, before any work incidental thereto is started.
- 5. <u>WORKMANSHIP</u> shall be done in accordance with the standards of the several trades known as a "workmanlike manner".
- 6. <u>MATERIALS</u> shall be new, in good condition, and of standard grade unless otherwise agreed to in writing before their delivery to the job.

7. <u>REPAIRS</u> shall be made to all surfaces damaged by the Contractor resulting from this work under this contract at no additional cost to the Owner.

Where "repair of existing work" is called for by the contract, the feature is to be placed in "equal to new condition" either by repair or replacement; all damaged or loose, or rotted parts shall be removed and replaced and the finished work shall match adjacent work in design and dimension.

- 8. <u>INSPECTION OF THE WORK</u> during normal working hours by authorized inspectors shall be facilitated by the Contractor, and the work shall be subject to the inspectors' approval and acceptance.
- 9. <u>SUB CONTACTORS</u> shall be bound by the terms and conditions of this contract insofar as it applies to their work, but this shall not relieve the General Contractor, (or bidder acting as General Contractor) if such a one is awarded the contract, from the full responsibility of the Owner for the proper completion of all work to be executed under this agreement, and shall not be released from this responsibility by any sub-contractual agreement he may make with others.
- 10. <u>BIDS OR PROPOSALS</u> will be submitted at the Bidder's risk, and the City reserves the right to reject any or all bids, part of the bid, rebid and to waive any informalities.

## 11. PERMITS, CODES & REGULATIONS:

All equipment, construction, and installation will comply with City, County, State and Federal codes, regulations and standards. This includes, but is not limited to, all Building, Electrical, Gas Plumbing, Mechanical, Southern Building Codes, CABO, ANSI A117 revised, RRP and Lead Reduction Safe Work Practices, and FHA Minimum Property Standards. In the event of conflict or ambiguity, the most stringent of all the aforementioned shall govern. Successful bidder will obtain and pay for all permits and impact fees necessary, notify proper authorities for inspections and furnish any certificates required for the work.

## 12. ADJACENT PROPERTY

When adjacent property is affected or endangered by any work done under this contract, it shall be the responsibility of the Contractor to take whatever steps are necessary for the protection of the adjacent property and to notify the owner thereof of such hazards.

### 13. DELIVERY:

Delivery will be to various locations in the City of Birmingham as per specifications attached.

Failure to deliver as specified and in accordance with the bid submitted, including promised delivery will constitute sufficient grounds for cancellation of the order at the option of the City.

## 14. PRICES:

Include all labor, materials, equipment, overhead and profit to complete projects as specified. Bidder shall be responsible for payment of all sales, use, lease, ad valorem and any other tax that may be levied or assessed by reason of this transaction. All such costs are to be included in the price bid for each project. City will not pay any additional items of cost listed separately.

## 15. <u>INVOIC</u>ING:

All invoices must agree with the purchase order in description and price and include the following information:

- 1.) Purchase Order Number
- 2.) Ship to Department Name and Address
- 3.) In order to ensure prompt payment, ALL <u>ORIGINAL INVOICES\*</u> MUST BE SENT TO:

City of Birmingham Community Development Department, Housing Division 10<sup>th</sup> Floor, City Hall 710 North 20<sup>th</sup> Street Birmingham, AL 35203

\* If invoice does not agree with purchase order, credits or a corrected invoice will be required in order for the City to process payment. Invoices that do not reference an authorized Purchase Order will be returned to the vendor.

## 16. THIRD PARTY "REMIT –TO":

If bidder has a third-party "remit-to" company, that information must appear on the Bidder's response. The City of Birmingham will send payment to the company designated by Bidder on its response, but will not be responsible for resolving payment issues, should the Bidder change payment processing companies after a payment has been mailed or without forty-five (45) days written notification to the Purchasing and General Accounting divisions of the City of Birmingham.

- 17. INDEMNIFICATION: Vendor(s) shall defend, indemnify, and hold harmless the City of Birmingham, and its agents, employees and officials (hereinafter the "Indemnitees") from and against all demands, actions, damages, judgments, expenses (including but not limited to attorneys' fees, expert fees, court costs and other litigation costs), losses, and claims (including those for bodily injury, sickness, disease or death, or to injury to, destruction or loss of use of tangible property) (collectively hereinafter "Claims") by any third parties (including any employee, subcontractor or representative of the Vendor, hereafter a "Vendor Representative") that arises out of, relates to, results from, or is attributable to any of the following: (a) Vendor's performance or failure to perform its obligations hereunder; (b) any conditions in or about the work sites that the Vendor or any Vendor Representative may encounter; or (c) the use or occupancy of the work sites by Vendor or any Vendor Representatives. This indemnification obligation includes Claims that are caused in part by the negligence of an Indemnitee(s); provided nothing herein shall obligate Vendor to indemnify any of the Indemnitee(s) for Claims resulting from the sole negligence or from the willful misconduct of the Indemnitee(s).
- SAFETY: The successful vendor(s) ("Vendor") warrants that it has inspected or will inspect the work sites before performing the services and work contemplated hereunder ("services"). Vendor(s) further warrants that it has not identified any condition or hazard that will prevent it from performing the services in a manner that does not endanger persons or property. Vendor(s) is exclusively responsible for performing the services in a safe manner that does not put at risk the safety of persons (including its own employees or representatives) or endanger property. Vendor(s) shall take all reasonable precautions for the safety of, and shall provide all reasonable protection to prevent damage, injury or loss to: (i) all its employees and all other persons who may be affected by the services; (ii) all the services and all materials and equipment to be incorporated therein, whether in storage on or off the work sites, or under the care, custody or control of the Vendor(s) or any of its subcontractors; and (iii) other property at the work sites or adjacent thereto. Vendor further agrees to comply with all provisions and requirements set forth in applicable laws, ordinances, rules, regulations and orders of any public authority having jurisdiction over safety of persons or property or to protect them from damage, injury or loss.

## 19. PROTECTION DAMAGE:

Contractor will be responsible for any damage to property of the City or others caused by him, his employees or subcontractors, and will replace and make good such damage. The contractor will maintain adequate protection to prevent damage to his work and property of others, and take all necessary precautions for the safety of his employees and others. The contractors will comply with all safety laws and regulations in effect in the locality.

### 20. INSURANCE:

The successful party shall carry general liability insurance (either primary or a combination of primary and umbrella coverage) with limits of not less than \$100,000.00 for each occurrence and shall include, but not limited to, personal injury, property damage, vandalism, property loss and theft.

The successful party shall also carry automobile liability insurance with limits of not less than \$100,000.00 bodily injury per occurrence, \$100,000.00 property damage or combined single limit of \$100,000.00. Party shall carry Workman's Compensation coverage in an amount adequate to comply with statutory requirements.

Such policies shall name the City of Birmingham as an additional insured and shall contain an endorsement providing that the City will be given not less than thirty (30) days notice in writing prior to cancellation or change of coverage provided by said policies. Insurance shall be through companies authorized to do business in the State of Alabama. Certificate of insurance must be presented to the City within ten (10) days of notice of award and prior to commencement of any work. Successful party is required to include the bid proposal number on the evidence of insurance document.

Policies that state the company will endeavor to provide thirty (30) days notice prior to cancellation or change of coverage, but failure to do so shall impose no obligation or liability of any kind upon the insurer, its agents or representatives are not acceptable. Insurance shall be through companies authorized to do business in the State of Alabama with a B+ rating or better according to the most current edition of Best's Insurance Reports. Party is to provide written documentation of the company's rating with the proposal.

### 21. PUBLIC DISCLOSURE:

Subject to applicable law or regulations, the content of each Bidder's Proposal shall become public information upon the effective date of any resulting contract.

## 22. GUARANTEE:

Bidder certifies by bidding that he is fully aware of the conditions of service and purpose for which equipment, material, installation, and/or construction included in this bid are to be purchased, and that his offering will meet these requirements of service and purpose to the satisfaction of the City of Birmingham and its agent. All work will be guaranteed one (1) year from date of final acceptance, or the manufacturer's standard warranty for equipment or materials, whichever is longer.

## 23. EXAMINATION OF SITE:

All bidders are expected to visit the site of the work to ascertain existing conditions. Failure to do so will in no way relieve the successful bidder from the necessity of furnishing all materials and equipment, and performing all work required for completion of the contract.

### 24. INSTALLATION/QUALITY ASSURANCE:

Use adequate numbers of skilled workmen, under proper supervision, who are thoroughly trained and experienced in the necessary crafts and who are completely familiar with the specified requirements and the methods needed for proper performance of the work in these specifications.

## 25. CLEANING AND SAFETY:

Throughout the construction period, maintain the buildings and site in a standard of cleanliness as described throughout this document. At no time shall construction interfere with daily work within the building or cause a safety or code violation around public and private entrances.

All precautions shall be taken to promote the safety of the public and employees. The successful bidder must have verifiable, active, safety policies. Contractor is responsible for all damage to existing City or public property, including but not limited to the building, grounds, and equipment, caused by him, his employees, or sub-contractors, and will replace and make good such damage. Contractor will maintain adequate protection to prevent damage to his work and property of others, and take all necessary precautions for the safety of his employees and others. The contractor will comply with all safety laws and regulations in effect in the locality.

### 26. PROGRESS CLEANING:

Retain all stored items in an orderly arrangement allowing maximum access, not impeding traffic and providing the required protection of materials.

Do not allow the accumulation of scrap, debris, waste material, and other items not required for construction.

As necessary, completely remove all scrap, debris and waste material from job site.

Provide adequate storage for all items awaiting removal from the job site, observing all requirements for fire protection and protection of the ecology.

All areas must be cleaned of dust and debris after each day's work.

## 27. PRE EXISTING CONDITIONS:

All pre existing conditions must be clearly documented (including but not limited to, photographs) to establish a clear definition of the work environment prior to commencing with any activities associated with this project. Vendor is responsible for correcting any defacement, damage or aesthetic appearance changes that occur beyond the point from the documentation of pre existing conditions and any occurrences of damages during their contract.

## 28. THE WARRANTY:

The warranty which is Attachment A must be signed and included with the bid.

29. **TIME IS OF THE ESSENCE.** Successful bidders shall have up to 90 calendar days based on the cumulative total days bid for all houses awarded from notice to proceed (purchase order) to complete the rehabilitation of the houses covered in the given notice to proceed. Failure to comply with the completion time as stated in the Notice to Proceed (purchase order) will result in assessment of late charges at the rate of \$50.00 for each calendar day over the cumulative total of days for the houses awarded plus any granted extension, for a maximum of 10 calendar days. This amount shall be subtracted from any amount due the contractor by the City for completion of the job. Failure to complete any contract work within the cumulative total of completion days plus any granted extension days, plus up to a maximum of 10 days late penalty time will result in termination of contract, forfeiture of the performance bond and the bidder will be declared a non-responsible bidder and will not be given consideration to receive any future bid awards for a period of twelve (12) months.

It is the City's intent not to award more rehabilitation work to a single contractor than the contractor can complete within a 90 calendar days time frame. However, should the situation arise that there is an insufficient number of responsive, responsible bids received to accomplish this goal, the City reserves the right to award more work to a single contractor than the 90 day completion time would allow. The extended completion time for any such award would be based on the actual completion time stated on the contractors bid form for the additional houses. This action must be mutually acceptable to the City and the contractor.

#### Section B

#### 1. Demolition:

All parts to be removed shall be done in a safe, orderly fashion, taking care to avoid damage to parts which are to be left in place. All debris shall be removed from the premises as it is generated.

## 2. Carpentry:

- a. Framing lumber shall be no less than new #2 yellow pine material unless otherwise specified.
- b. Finish lumber shall be of a species and grade suitable for its intended use, kiln dried, free from tool marks and other objectionable defects.

## 3. Electrical, Plumbing and Heating:

All equipment and materials shall comply with and be installed in accordance with Birmingham City Codes.

#### **INSTRUCTIONS:**

Bidder is to provide a complete price breakdown as shown on the work write up for each project/address included in this bid package. Bidder must bid all the different categories listed for each project/address (plumbing, kitchen, bath, HVAC, roof, electrical, etc.): no partial bids will be considered. Bidder is to total the individual prices provided for each project/address and include that amount as the Grand Total for each work write up. The Grand Total amount is to be transferred to the Bid Form that follows the work write up. Bidder must complete and return the fully executed Bid Form Signature Page along with the work write up page(s), Bid Form Page(s) and Attachment A.

# SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S) Work Write Up

Property Owner: Maeola Sanders Address: 2913 Ave G

City and State: Birmingham, AL 35218

Phone: (205) 788-8843 Case No: FY14-151

Inspector: A.B.

## **Roof**

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes
that govern.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1 ½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Repair all collateral damage caused by this modification.
Roof Total \$

Kitchen Repair
<ul> <li>Remove existing kitchen faucet assembly from sink</li> <li>Install new faucet with sprayer (Moen, Delta, or equivalent), new cut-offs, supply lines, and drain lines.</li> <li>Repair all collateral damage caused by this modification.</li> </ul>
Kitchen Repair Total \$
<b>Bathroom and Plumbing Modifications</b>
ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE
Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.
<ul> <li>Remove tub from bathroom.</li> <li>Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.</li> <li>New floor must be level.</li> </ul>
<ul> <li> New Hoof must be level.</li> <li> Cover bathroom floor with appropriate underlayment and adhesive per manufacturers specifications.</li> </ul>
<ul> <li>_ Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to</li> <li>Mannington Commercial Resilient and have a minimum of a ten year warranty.</li> <li>No torn or patched vinyl will be accepted. Owners choice of color and pattern.</li> <li>_ Install walk-in shower unit equipped with seat and towel bar. (Owner's choice of door inclusion or wall mounted shower rod w/curtain.)</li> </ul>
<ul> <li>Install ADA approved slide bar shower massage unit.</li> <li>Install a good quality, chrome plated brass, lever style anti-scald shower valve and tub filler. (Moen, Delta, or equivalent)</li> <li>Repair / replace all water leaks and drains. All fixtures shall be in proper working order and all drains should be free from leaks and draining properly.</li> </ul>
Bathroom and Plumbing Total \$

## **Electrical**

Perform all electrical work per the local code and pay for all perr	nits and fees.
Install a new 200-amp service. This includes the rigid service mast, e	ntrance head, and
breaker-box with breakers. All are to be new, unused material.	
Electrical panel is to be located inside of house.	
Replace all faulty switches, plugs, and plates with new ones.	
All connections are to be in electrical boxes.	
All exposed wires shall be in conduit.	
All new receptacles must be grounded.	
Install GFIs in kitchen and bathroom.	
Install a hard-wired carbon monoxide detector in a central location.	
( A plug in detector that can be removed or unplugged is not acceptable	ole.)
Install AC/DC tandem wired smoke detectors in a central location, or	ie (1) in each
sleeping room, on each additional story of the dwelling, including bas	sements, but not
including crawl spaces and uninhabitable attics.	
Repair all collateral damage caused by this modification to finish qua	lity.
Electrical Total \$	
GRAND TOTAL \$	
1 T IX A   V   J   I   J   A   J   J   A   J   J   A   J   J	

#### **BID FORM**

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

# SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S) Work Write Up

Property Owner: James Anderton Address: 1421 11<sup>th</sup> St S

City and State: Birmingham, AL. 35205

Phone: (205)328-5172 Case No: FY15-002

Inspector RC

## **Roof** (CONTRACTOR TO VERIFY MAY HAVE SPACE DECKING)

All work shall meet or exceed the requirements of the ICC Residential Code and The Standard Building Code © Section 1501 for roof materials, application,
installation, etc. and Section 309 for roof and ceiling framing, and all other codes
that govern. A building permit is required if there is any wood to be replaced.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 20 YEAR class A fiberglass asphalt shingle. (Owners choice of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Roof Total \$

GRAND TOTAL \$\_\_\_\_

### **BID FORM**

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at
1421 11 <sup>th</sup> St S and in accordance with your invitation to bid dated
·
I the undersigned contractor, having inspected the property and familiarized myself with
the requirements of the work write-up, specifications and plans, do understand the extent
and character of the work to be done at:
1421 11 <sup>th</sup> St S
do propose to furnish all labor, material and equipment necessary to accomplish all of the
work called for that is required by the work write-up, specifications and drawings (if any)
for the rehabilitation of the property, for the sum of:
Dollars (\$)
I will complete the work within calendar days after receipt of purchase order and notice to proceed.

## SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S) **Work Write Up**

Claude Burns 1012 19<sup>th</sup> PL SW Property Owner: Address:

City and State: Birmingham, AL 35211

(205) 224-5167 Phone: Case No: FY15-004

Inspector: A.B.

<ul> <li>Remove existing appliances from the kitchen.</li> <li>Remove existing floor covering.</li> <li>Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.</li> <li>New floor must be level.</li> <li>Install additional support piers and beams if necessary to stabilize and level floor system.</li> <li>Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.</li> <li>Cover floor with appropriate underlayment and adhesive per manufacturers specifications.</li> <li>Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.</li> </ul>
<ul> <li>Remove existing floor covering.</li> <li>Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.</li> <li>New floor must be level.</li> <li>Install additional support piers and beams if necessary to stabilize and level floor system.</li> <li>Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.</li> <li>Cover floor with appropriate underlayment and adhesive per manufacturers specifications.</li> <li>Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.</li> </ul>
<ul> <li>Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.</li> <li>New floor must be level.</li> <li>Install additional support piers and beams if necessary to stabilize and level floor system.</li> <li>Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.</li> <li>Cover floor with appropriate underlayment and adhesive per manufacturers specifications.</li> <li>Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.</li> </ul>
floor framing, and floor supports.  New floor must be level.  Install additional support piers and beams if necessary to stabilize and level floor system.  Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.  Cover floor with appropriate underlayment and adhesive per manufacturers specifications.  Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
<ul> <li>New floor must be level.</li> <li>Install additional support piers and beams if necessary to stabilize and level floor system.</li> <li>Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.</li> <li>Cover floor with appropriate underlayment and adhesive per manufacturers specifications.</li> <li>Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.</li> </ul>
<ul> <li>Install additional support piers and beams if necessary to stabilize and level floor system.</li> <li>Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.</li> <li>Cover floor with appropriate underlayment and adhesive per manufacturers specifications.</li> <li>Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.</li> </ul>
<ul> <li>Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.</li> <li>Cover floor with appropriate underlayment and adhesive per manufacturers specifications.</li> <li>Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.</li> </ul>
specifications.  Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to  Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.
Install and finish new shoe mold around entire room. Shoe mold must be painted or stained to match finish.
Repair all collateral damage caused by this modification.
Kitchen Repair Total \$
Laundry Room Repair
Remove existing floor covering.
Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills,
floor framing, and floor supports.
New floor must be level.
Install additional support piers and beams if necessary to stabilize and level floor
system.
Piers must be on a masonry footing and of concrete masonry units or 4" steel column. All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.

Cover floor with appropriate underlayment and adhesive per manufacturers
<ul> <li>specifications.</li> <li>Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to</li> <li>Mannington Commercial Resilient and have a minimum of a ten year warranty. No torn or patched vinyl will be accepted. Owners choice of color and pattern.</li> <li>Install and finish new shoe mold around entire room. Shoe mold must be painted or stained to match finish.</li> </ul>
Repair all collateral damage caused by this modification.
Laundry Room Total \$
Bathroom and Plumbing Modifications
ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE
<ul> <li>Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.</li> <li>Remove tub, floor, and lavatory from bathroom.</li> </ul>
<ul> <li>Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills, floor framing, and floor supports.</li> <li>New floor must be level.</li> </ul>
<ul> <li>Cover bathroom floor with appropriate underlayment and adhesive per manufacturers specifications.</li> </ul>
Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to Mannington Commercial Resilient and have a minimum of a ten year warranty.
No torn or patched vinyl will be accepted. Owners choice of color and pattern.  Install walk-in shower unit equipped with seat and towel bar. (Owner's choice of door inclusion or wall mounted shower rod w/curtain.)
<ul><li> Install a new porcelain on steel low profile bathtub with a slip resistant bottom.</li><li> Install bracing in wall to accommodate installation of grab bars.</li></ul>
Install a semi-rigid fiberglass composite tub surround wall kit. Surround shall be installed according to manufacturers specifications and shall include all caulking and trim to provide a quality finished product.
<ul> <li>Surround shall not have any molded features that would interfere with the proper installation and location of grab bars.</li> <li>Install grab bars for tub access. (Minimum of two)</li> </ul>
Install ADA approved slide bar shower massage unit.
Install a good quality, chrome plated brass, lever style anti-scald shower valve and tub
filler. (Moen, Delta, or equivalent) Install a hardwood vanity with stock top. (Same size as existing; hardwood only, no
particleboard will be accepted.)
Install a new good quality chrome plated brass faucet. (Moen, Delta, or equivalent)

New lavatory faucet will have lever style handles or lever style operation.
Install new cutoffs, supplies and drains.
Install a good quality shower curtain and rod. Shower rod must be wall mounted.
Homeowners choice of mid-range shower curtain color and pattern.
Install a good quality mid-range towel rack and toilet paper holder. Homeowners
choice of style and color.
Bath shall have a vanity light, ceiling mounted light with fan (sealed globe), and GFI
receptacle. Ceiling light and vanity light shall be switched separately.
Repair all collateral damage caused by this modification.
Dothwoom and Dlumbing Total
Bathroom and Plumbing Total \$
Electrical
Perform all electrical work per the local code and pay for all permits and fees.
Install a hard-wired carbon monoxide detector in a central location.
( A plug in detector that can be removed or unplugged is not acceptable.)
Install AC/DC tandem wired smoke detectors in a central location, one (1) in each
sleeping room, on each additional story of the dwelling, including basements, but not
including crawl spaces and uninhabitable attics.
Repair all collateral damage caused by this modification to finish quality.
Electrical Total \$
GRAND TOTAL \$

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

Submitted below is my firm bid for the rehabilitation of a residence, located at

1012 19<sup>th</sup> PL SW and in accordance with your invitation to bid dated

\_\_\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

## 1012 19<sup>th</sup> PL SW

do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of:

	Dollars (\$	_)
I will complete the work withinand notice to proceed.	calendar days after receipt of purchase order	

## SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S) Work Write Up

Property Owner:	Bertha Carter
Address:	1021 8 <sup>th</sup> Ave W
City and State:	Birmingham, AL. 35204
Phone:	(205)785-8978
Case No:	FY14-FY15-005
Inspector	RC
Metal Roof (RE	PAIR)
the Standard Buinstallation, etc. that govern. A bu Locate and repair	neet or exceed the requirements of the ICC Residential Code and adding Code © Section 1501 for roof materials, application, and Section 309 for roof and ceiling framing, and all other codes adding permit is required if there is any wood to be replaced. It water leak around fire place chase. (House has a newer metal roof) warrant the roof (he repaired around fire place chase) to be tree for one year.
	Roof Total \$
<b>Electrical</b>	
Install a new 200 breaker-box with Electrical panel is Add (2) 120 volt living room and ( Replace all switc Check all existin loose and replace Install a hard-wir ( A plug in detect Install AC/DC tar sleeping room, or including crawl spaces and uninh Install a GFI rece	trical work per the local code and pay for all permits and feesamp service. This includes the rigid service mast, entrance head, and a breakers. All are to be new, unused material. It to be located inside of house. plugs in Kitchen. Add (2) plugs in each bedroom add (2) in the (2) in the dining room and (2) in the den. These, plugs, and plates with new ones. The wiring repair as needed, tighten connections and fixtures that are each those that are faulty. The defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of the defended or unplugged is not acceptable. The acceptable of
	GRAND TOTAL \$

#### **BID FORM**

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

Submitted below is my firm bid for the rehabilitation of a residence, located at 1021 8<sup>th</sup> Ave W and in accordance with your invitation to bid dated .

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

## 1021 8<sup>th</sup> Ave W

do propose to furnish all labor, material and equipment necessary to accomplish all of the
work called for that is required by the work write-up, specifications and drawings (if any)
for the rehabilitation of the property, for the sum of:
Dollars (\$)

I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order

# SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S) Work Write Up

Property Owner: Estelle Figgeurs Address: 1009 19<sup>th</sup> Pl SW

City and State: Birmingham, AL. 35211

Phone: (205) 925-9081 Case No: FY15-007

Inspector RC

## Roof

All work shall meet or exceed the requirements of the ICC Residential Code and
the Standard Building Code © Section 1501 for roof materials, application,
installation, etc. and Section 309 for roof and ceiling framing, and all other codes
that govern. A building permit is required if there is any wood to be replaced.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice
of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1 ½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Roof Total \$

## **Plumbing Repair**

Contractor is to perform all plumbing work per local code, Pay for all permits
and impact fees. All materials used shall be (PEX) or non ferrous metals and
insulated properly. No plastics or CPVC accepted.
Remove and replace water heater with new one (gas) it shall be properly installed
and vented according to city code. All water heaters shall be Rheem, Ruud or of
equivalent value.
Plumbing Repair Total_\$
CRAND TOTAL \$

### **BID FORM**

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

Submitted below is my firm bid for the rehabilitation of a residence, located at
1009 19th Pl SW and in accordance with your invitation to bid dated
<del>.</del>
I the undersigned contractor, having inspected the property and familiarized myself with
the requirements of the work write-up, specifications and plans, do understand the extent
and character of the work to be done at:
1009 19 <sup>th</sup> Pl SW
do propose to furnish all labor, material and equipment necessary to accomplish all of the
work called for that is required by the work write-up, specifications and drawings (if any)
for the rehabilitation of the property, for the sum of:
Dollars (\$)
I will complete the work within calendar days after receipt of purchase order

# SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S) Work Write Up

Property Owner: Selena Gardner Address: 914 Center St N

City and State: Birmingham, AL. 35204

Phone: (205) 251-8603 Case No: FY15-008

Inspector RC

## **Bathroom and Plumbing Modifications**

## ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE

Contractor is to perform all plumbing work per local code, Pay for all permits
And impact fees. All materials used shall be (PEX) or non ferrous metals and
insulated properly. No plastics or CPVC accepted.
Remove toilet, tub, and lavatory from bathroom.
Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills,
floor framing, and floor supports.
New floor must be level as possible.
Cover bathroom floor with appropriate underlayment and adhesive per manufacturers
specifications.
Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to
Mannington Commercial Resilient and have a minimum of a ten year warranty.
No torn or patched vinyl will be accepted. Owners choice of color and pattern.
Install and finish new shoe mold around entire room. Shoe mold must be painted or
stained to match finish.
Install a new porcelain on steel low profile bathtub with a slip resistant bottom.
Install bracing in wall to accommodate installation of grab bars.
Install a semi-rigid fiberglass composite tub surround wall kit. Surround shall be
installed according to manufacturers specifications and shall include all caulking and
trim to provide a quality finished product.
Surround shall not have any molded features that would interfere with the proper
installation and location of grab bars.
Reinstall owners grab bars for tub access.
Install ADA approved slide bar shower massage unit.
Install a good quality, chrome plated brass, lever style anti-scald shower valve and tub
filler. (Moen, Delta, or equivalent)
Install new Handicap toilet with seat. ( min. height 17 ½".) Toilet shall be equipped
with an oversize flush valve. (American Standard, Kohler, Briggs, Toto)
Install new cutoff and supply line.
Install a hardwood vanity with stock top. Same size as existing. ( Hardwood only, no
particleboard will be accepted.)

#### **BID FORM**

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

# SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S) Work Write Up

Property Owner: Sophronia Gibbs Address: 1157 15<sup>th</sup> St SW

City and State: Birmingham, AL 35211

Phone: (205) 427-1679 Case No: FY15-009

Inspector: A.B.

## Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. Proper permitting shall be obtained for all applicable repairs to roof.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1 ½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Repair all collateral damage caused by this modification.
Roof Total \$

## **Electrical**

Perform all electrical work per the local code and pay for all permits and fees.
Install a hard-wired carbon monoxide detector in a central location.
( A plug in detector that can be removed or unplugged is not acceptable.)
Install AC/DC tandem wired smoke detectors in a central location, one (1) in each
sleeping room, on each additional story of the dwelling, including basements, but not
including crawl spaces and uninhabitable attics.
Repair all collateral damage caused by this modification to finish quality.
Electrical Total \$
GRAND TOTAL \$

#### **BID FORM**

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

# SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT(S) Work Write Up

Property Owner: Tomeria Givan
Address: 1113 15<sup>th</sup> Way SW
City and State: Birmingham, AL 35211

Phone: (205) 515-5378 Case No: FY15-010

Inspector: A.B.

## **Roof**

All work shall meet or exceed the requirements of the ICC Residential Code and The Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. Proper permitting shall be obtained for all applicable repairs to
roof. Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Repair all collateral damage caused by this modification.
Roof Total \$

## **Bathroom and Plumbing Modifications**

## ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE

<ul> <li>Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.</li> <li>Remove toilet, vanity, and lavatory from bathroom.</li> <li>Install new Handicap toilet with seat. (min. height 17 ½".) Toilet shall be equipped with an oversize flush valve. (American Standard, Kohler, Briggs, Toto)</li> <li>Install new cutoff and supply line.</li> <li>Install new lavatory and a hardwood vanity with stock top. (Same size as existing; hardwood only, no particleboard will be accepted.)</li> <li>Install a new good quality chrome plated brass faucet. (Moen, Delta, or equivalent)</li> <li>New lavatory faucet will have lever style handles or lever style operation.</li> <li>Install new cutoffs, supplies and drains.</li> </ul>
<ul> <li>Bath shall have a vanity light, ceiling mounted light with fan (sealed globe), and GFI receptacle. Ceiling light and vanity light shall be switched separately.</li> <li>Repair all collateral damage caused by this modification.</li> </ul>
Bathroom and Plumbing Total \$  Electrical
<ul> <li>Perform all electrical work per the local code and pay for all permits and fees.</li> <li>Install a hard-wired carbon monoxide detector in a central location.</li> <li>( A plug in detector that can be removed or unplugged is not acceptable.)</li> <li>Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.</li> <li>Repair all collateral damage caused by this modification to finish quality.</li> </ul>
Electrical Total \$
GRAND TOTAL \$

W.E. Caffee **Assistant Purchasing Agent** Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.

Submitted below is my firm bid for the rehabilitation of a residence, located at 1113 15<sup>th</sup> Way SW and in accordance with your invitation to bid dated I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at: 1113 15<sup>th</sup> Way SW do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of: \_Dollars (\$ I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order

Property Owner: Ernest Barnwell Address: #64 5<sup>th</sup> Ave S

City and State: Birmingham, AL. 35205

Phone: (205) 323-1834 Case No: FY15-013

Inspector RC

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application,
installation, etc. and Section 309 for roof and ceiling framing, and all other codes
that govern. A building permit is required if there is any wood to be replaced.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice
of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1 ½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Contractor sharr warrant the roof to be completely leak free for one year.
Roof Total \$
GRAND TOTAL \$

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

Submitted below is my firm bid for the rehabilitation of a residence, located at
#64 5 <sup>th</sup> Ave S and in accordance with your invitation to bid dated
·
I the undersigned contractor, having inspected the property and familiarized myself with
the requirements of the work write-up, specifications and plans, do understand the extent
and character of the work to be done at:
#64 5 <sup>th</sup> Ave S
do propose to furnish all labor, material and equipment necessary to accomplish all of the
work called for that is required by the work write-up, specifications and drawings (if any)
for the rehabilitation of the property, for the sum of:
Dollars (\$)
I will complete the work within calendar days after receipt of purchase order and notice to proceed.

Property Owner: Claudette Beal Address: 802 19<sup>th</sup> St SW

City and State: Birmingham, AL. 35211 Phone: (205)925-3058 422-1362

Case No: FY15-014

Inspector RC

All work shall meet or exceed the requirements of the ICC Residential Code and
the Standard Building Code © Section 1501 for roof materials, application,
installation, etc. and Section 309 for roof and ceiling framing, and all other codes
that govern. A building permit is required if there is any wood to be replaced.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice
of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1 ½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Roof Total \$

## **Electrical**

Perform all electrical work per the local code and pay for all permits and fees.
Install a new 200-amp service. This includes the rigid service mast, entrance head, and
breaker-box with breakers. All are to be new, unused material.
Electrical panel is to be located inside of house.
Check all existing wiring, repair as needed, tighten connections and fixtures that are
loose and replace those that are faulty.
Install a hard-wired carbon monoxide detector in a central location.
( A plug in detector that can be removed or unplugged is not acceptable.)
Install AC/DC tandem wired smoke detectors in a central location, one (1) in each
sleeping room, on each additional story of the dwelling, including basements, but not
including crawl spaces and uninhabitable attics.
Repair all collateral damage caused by this modification to finish quality.
Electrical Total \$
GRAND TOTAL \$
CERAND ICHAL N

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

LaMenga Ford

Property Owner:

508 10<sup>th</sup> Ct W Address: City and State: Birmingham, AL. 35204 Phone: (908)374-9067 FY15-019 Case No: Inspector RC **Heating and Air Conditioning** \_\_ Install a new (HEAT PUMP) heating and air conditioning system. (Goodman, Nutone, or equivalent), ELECTRIC split system or packaged unit with cage.. \_\_ The new unit shall be sufficient to properly heat and cool the entire house. \_\_ It shall be the contractors responsibility to ensure that the new unit is properly sized. \_\_ New unit shall be high efficiency, minimum of 13 SEER. \_\_ Install all duct work necessary to ensure proper heating and cooling in all areas of house. \_\_ Upon completion of this scope of work all ductwork shall be insulated metal duct. Short runs of flexible duct may be used for connecting to supply registers and boots. \_\_ Ensure that all ductwork is well supported and properly strapped in place. \_\_ Ensure that return grille is installed correctly, working properly, and of adequate size. \_\_ Install all new supply registers to each inhabitable room, including kitchen and bathrooms. Homeowner shall be-supplied with 12 additional filters and informed on the changing of filters and the frequency with which they should be changed. \_\_ Install a new properly matched thermostat from a recognizable manufacturer. \_\_ A properly sized manufactured condensing unit pad must be used. \_\_ Pad must be level. \_\_ Contractor must educate homeowner on proper operation and maintenance of new \_\_ Manufacturers consumer literature on the unit must be left with the Homeowner along with warranty information on the unit. \_\_ The contractor shall include all items necessary to ensure the proper operation of this unit. These include electrical disconnect, and electrical service to the unit. Heating and Air Conditioning Total \$

GRAND TOTAL \$\_\_\_\_

W.E. Caffee **Assistant Purchasing Agent** Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the above specifications REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization/approval could result in a loss of payment for work performed outside the bid specifications.

Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work. Submitted below is my firm bid for the rehabilitation of a residence, located at 508 10<sup>th</sup> Ct W and in accordance with your invitation to bid dated I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at: 508 10<sup>th</sup> Ct W do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of: \_Dollars (\$ I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order

Property Owner: Crystal Horton Address: 1743 51<sup>st</sup> St

City and State: Birmingham, AL 35208

Phone: (205) 215-8730 Case No: FY15-023

Inspector: A.B.

### Roof

All work shall meet or exceed the requirements of the ICC Residentia the Standard Building Code © Section 1501 for roof materials, applications installation, etc. and Section 309 for roof and ceiling framing, and all that govern. Proper permitting shall be obtained for all applicable remost	eation, other codes
Areas that are found to be spaced decked shall be covered with ½" exterior sheathing material after removing the existing decking. It is the contractor responsibility to ensure the framing and structure will support the addition Remove existing roofing materials down to bare decking.  Check all roof trusses/rafters and repair/replace to ensure that new roof strand smooth without rises or depressions in roof system.  Replace all rotten, broken, un-even, weak, or deteriorated decking and frace Replaced/repaired decking shall be level and ready to accept felt and shing Check all roof trusses for strength and stability before re-shingling house.  Remove all unused elements, vents, etc., that are not operational and close them below roof level.  Re-flash all valleys, vents, roof openings, and chimneys.  Install new boots around all roof penetrations.  Haul away debris immediately.  Use a magnetic sweep around the perimeter of house and rake away any of Cover with 30# asphalt impregnated felt.  Prepare roof decking to accept a ridge vent.  Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice Shingles must be 1st quality still in the wrapper. Seconds will not be accept Install drip rail around perimeter of house. Shingles shall have ½ to 1½ Install ridge vent or wind turbines, (minimum of two) as appropriate.  New roof shall be structurally sound and leak free.  Contractor shall warrant the roof to be completely leak free for one year.  Repair all collateral damage caused by this modification.	rs nal load. ructure is flat ming. gles. e other debris.

Roof Total \$\_\_\_\_\_

## Kitchen Repair

Remove existing floor covering.	
Replace all rotten damaged or otherwise substant	
Replace all fotteri, dalliaged of otherwise substant	dard flooring, subflooring, sills,
floor framing, and floor supports.	
New floor must be level.	
Install additional support piers and beams if neces	ssary to stabilize and level floor
system.	
Piers must be on a masonry footing and of concreasing and of concreasing with the pressure treated lumber.	th the support piers and beams must
Cover floor with appropriate underlayment and a specifications.	dhesive per manufacturers
Install new sheet vinyl floor covering. The install	ed vinyl shall be equivalent to
Mannington Commercial Resilient and have a mi torn or patched vinyl will be accepted. Owners characteristic in the match of the commercial Resilient and have a mi torn or patched vinyl will be accepted. Owners characteristic in the commercial Resilient and have a mi torn or patched vinyl will be accepted. Owners characteristic in the commercial Resilient and have a mi torn or patched vinyl will be accepted. Owners characteristic in the commercial Resilient and have a mi torn or patched vinyl will be accepted. Owners characteristic in the commercial Resilient and have a mi torn or patched vinyl will be accepted. Owners characteristic in the commercial Resilient and have a mi torn or patched vinyl will be accepted. Owners characteristic in the commercial Resilient and have a mi torn or patched vinyl will be accepted. Owners characteristic in the commercial Resilient and torn or patched vinyl will be accepted.	nimum of a ten year warranty. No noice of color and pattern.
Replace sink drain lines, supply lines, and spraye	r
Repair all collateral damage caused by this modif	
Kitcha	n Repair Total \$
Kitche	п Керап Тотаг <u>ф</u>
<b>Bathroom and Plumbing Modifications</b>	
ALL WORK IS TO BE DONE TO ANSI SPECII	FICATIONS WHEDE
ACHIEVABLE	FICATIONS WHERE
	FICATIONS WHERE
ACHIEVABLE  Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Plinsulated properly. No plastics or CPVC accept	er local code, Pay for all permits EX) or non ferrous metals and oted.
ACHIEVABLE  Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Plinsulated properly. No plastics or CPVC acception in the property of the propert	er local code, Pay for all permits EX) or non ferrous metals and sted. bathroom.
ACHIEVABLE  Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Plinsulated properly. No plastics or CPVC acception. Remove floor, tub, valves, and showerhead from Replace all rotten, damaged or otherwise substance.	er local code, Pay for all permits EX) or non ferrous metals and sted. bathroom.
ACHIEVABLE  Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Planta insulated properly. No plastics or CPVC acception. Remove floor, tub, valves, and showerhead from Replace all rotten, damaged or otherwise substant floor framing, and floor supports.	er local code, Pay for all permits EX) or non ferrous metals and sted. bathroom.
ACHIEVABLE  Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Plinsulated properly. No plastics or CPVC acception. Remove floor, tub, valves, and showerhead from Replace all rotten, damaged or otherwise substant floor framing, and floor supports.  New floor must be level.	er local code, Pay for all permits EX) or non ferrous metals and oted. bathroom. dard flooring, subflooring, sills,
ACHIEVABLE  Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Plinsulated properly. No plastics or CPVC accepto Remove floor, tub, valves, and showerhead from Replace all rotten, damaged or otherwise substant floor framing, and floor supports.  New floor must be level.  Cover bathroom floor with appropriate underlayed.	er local code, Pay for all permits EX) or non ferrous metals and oted. bathroom. dard flooring, subflooring, sills,
<ul> <li>Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Planta insulated properly. No plastics or CPVC acceptor Remove floor, tub, valves, and showerhead from Replace all rotten, damaged or otherwise substantifloor framing, and floor supports.</li> <li>New floor must be level.</li> <li>Cover bathroom floor with appropriate underlaying specifications.</li> </ul>	er local code, Pay for all permits EX) or non ferrous metals and oted. bathroom. dard flooring, subflooring, sills, ment and adhesive per manufacturers
<ul> <li>Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Plinsulated properly. No plastics or CPVC acception. Remove floor, tub, valves, and showerhead from Replace all rotten, damaged or otherwise substantification floor framing, and floor supports.</li> <li>New floor must be level.</li> <li>Cover bathroom floor with appropriate underlaying specifications.</li> <li>Install new sheet vinyl floor covering. The instal</li> </ul>	er local code, Pay for all permits EX) or non ferrous metals and oted. bathroom. dard flooring, subflooring, sills, ment and adhesive per manufacturers led vinyl shall be equivalent to
<ul> <li>Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Plinsulated properly. No plastics or CPVC acception. Remove floor, tub, valves, and showerhead from Replace all rotten, damaged or otherwise substantification floor framing, and floor supports.</li> <li>New floor must be level.</li> <li>Cover bathroom floor with appropriate underlaying specifications.</li> <li>Install new sheet vinyl floor covering. The instalement of the material material material materials.</li> </ul>	er local code, Pay for all permits EX) or non ferrous metals and oted. bathroom. dard flooring, subflooring, sills, ment and adhesive per manufacturers led vinyl shall be equivalent to minimum of a ten year warranty.
<ul> <li>Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Plandard properly. No plastics or CPVC acception. Remove floor, tub, valves, and showerhead from Replace all rotten, damaged or otherwise substantion floor framing, and floor supports.</li> <li>New floor must be level.</li> <li>Cover bathroom floor with appropriate underlaying specifications.</li> <li>Install new sheet vinyl floor covering. The instaltion Mannington Commercial Resilient and have a No torn or patched vinyl will be accepted. Owner</li> </ul>	er local code, Pay for all permits EX) or non ferrous metals and oted. bathroom. dard flooring, subflooring, sills, ment and adhesive per manufacturers led vinyl shall be equivalent to minimum of a ten year warranty. s choice of color and pattern.
<ul> <li>Contractor is to perform all plumbing work per and impact fees. All materials used shall be (Plinsulated properly. No plastics or CPVC acception. Remove floor, tub, valves, and showerhead from Replace all rotten, damaged or otherwise substantification floor framing, and floor supports.</li> <li>New floor must be level.</li> <li>Cover bathroom floor with appropriate underlaying specifications.</li> <li>Install new sheet vinyl floor covering. The instalement of the material material material materials.</li> </ul>	er local code, Pay for all permits EX) or non ferrous metals and oted. bathroom. dard flooring, subflooring, sills, ment and adhesive per manufacturers led vinyl shall be equivalent to minimum of a ten year warranty. es choice of color and pattern. b with a slip resistant bottom.

Surround shall not have any molded features that would interfere with the proper installation and location of grab bars.
Install ADA approved slide bar shower massage unit.
Install a good quality, chrome plated brass, lever style anti-scald shower valve and tub
filler. (Moen, Delta, or equivalent)
Install a good quality shower curtain and rod. Shower rod must be wall mounted.
Homeowners choice of mid-range shower curtain color and pattern.
Repair all collateral damage caused by this modification.
Repair / replace all water leaks and drains. All fixtures shall be in proper working
order and all drains should be free from leaks and draining properly.
Bathroom and Plumbing Total \$
<b>Electrical</b>
Perform all electrical work per the local code and pay for all permits and fees.
Replace all faulty switches, plugs, and plates with new ones.
All new receptacles must be grounded.
Install GFIs in kitchen and bathroom.
Install a hard-wired carbon monoxide detector in a central location.
(A plug in detector that can be removed or unplugged is not acceptable.)
Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not
including crawl spaces and uninhabitable attics.
Repair all collateral damage caused by this modification to finish quality.
Electrical Total \$
GRAND TOTAL \$

W.E. Caffee **Assistant Purchasing Agent** Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

change order prior to starting the related work.

Contractor shall have a Purchase Order to cover any additional cost resulting from a Submitted below is my firm bid for the rehabilitation of a residence, located at 1743 51st St and in accordance with your invitation to bid dated I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at: 1743 51st St do propose to furnish all labor, material and equipment necessary to accomplish all of the work called for that is required by the work write-up, specifications and drawings (if any) for the rehabilitation of the property, for the sum of: \_Dollars (\$ I will complete the work within \_\_\_\_\_ calendar days after receipt of purchase order

Property Owner:	Cynthia Jackson
Address:	1536 42 <sup>nd</sup> St
City and State: Phone:	Birmingham, AL 35208 (205) 470-0921
Case No:	FY15-024
Inspector:	A.B.
mspector.	11.0.
<b>Heating and Air</b>	· Conditioning
Insulate attic up	to R-30
Repair all collate	eral damage caused by this modification.
	Heating and Air Conditioning Total \$
Kitchen Repair	
Replace fluoresc	ent light fixture
-	eral damage caused by this modification.
	Kitchen Repair Total \$
Bathroom 1	
ALL WORK IS TO ACHIEVABLE	O BE DONE TO ANSI SPECIFICATIONS WHERE
<ul><li>and impact fees</li><li>insulated prope</li><li>Install grab bars</li></ul>	perform all plumbing work per local code, Pay for all permits  All materials used shall be (PEX) or non ferrous metals and rly. No plastics or CPVC accepted. for tub access. (Minimum of two) eral damage caused by this modification.
	Bathroom and Plumbing Total \$
Bathroom 2	
ALL WORK IS TO ACHIEVABLE	O BE DONE TO ANSI SPECIFICATIONS WHERE
and impact fees	perform all plumbing work per local code, Pay for all permits. All materials used shall be (PEX) or non ferrous metals and rly. No plastics or CPVC accepted.

Install new Handicap toilet with seat. (min. height 17 ½".) Toilet shall be equipped with an oversize flush valve. (American Standard, Kohler, Briggs, Toto)
Install new cutoff and supply line.
Remove and replace existing shower pan, valves, and showerhead.
Install ADA approved slide bar shower massage unit.
Install a good quality, chrome plated brass, lever style anti-scald shower valve and tub
filler. (Moen, Delta, or equivalent)
Install properly constructed shower pan membrane and drain assembly
Repair all collateral damage caused by this modification.
Repair / replace all water leaks and drains. All fixtures shall be in proper working order and all drains should be free from leaks and draining properly.
order and an drains should be free from leaks and draining property.
Bathroom and Plumbing Total \$
<u>Electrical</u>
Perform all electrical work per the local code and pay for all permits and fees.
Install a new 200-amp service. This includes the rigid service mast, entrance head, and
breaker-box with breakers. All are to be new, unused material.
Electrical panel is to be located inside of house.
Rewire house as needed for code and safety requirements.
<ul><li>Replace all faulty switches, plugs, and plates with new ones.</li><li>All connections are to be in electrical boxes.</li></ul>
All exposed wires shall be in conduit.
All surface mounted lights are to be wall switch activated and have globes or shades.
Replace two light fixtures in kitchen
Replace two light fixtures in hall and dedicate to light switch
Replacement fixtures shall be 14" dome 2 bulb fixture minimum.
Replace outlet in kitchen with GFI outlet.
All new receptacles must be grounded.
Install a hard-wired carbon monoxide detector in a central location.
( A plug in detector that can be removed or unplugged is not acceptable.)
Install AC/DC tandem wired smoke detectors in a central location, one (1) in each
sleeping room, on each additional story of the dwelling, including basements, but not
including crawl spaces and uninhabitable attics.
Repair all collateral damage caused by this modification to finish quality.
Electrical Total \$
CRAND TOTAL \$

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

Property Owner: Myrna Jackson Address: 545 19<sup>th</sup> St SW

City and State: Birmingham, AL. 35211

Phone: (205) 923-7989 Case No: FY15-025

Inspector RC

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes
that govern. A building permit is required if there is any wood to be replaced.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice
of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Roof Total \$
GRAND TOTAL \$

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

I will complete the work within\_\_\_\_\_ calendar days after receipt of purchase order

Property Owner: Michael Marable Address: 120 10<sup>th</sup> Ave SW

City and State: Birmingham, AL. 35211

Phone: (205) 324-4028 Case No: FY15-027

Inspector RC

All work shall meet or exceed the requirements of the ICC Residential Code and
The Standard Building Code © Section 1501 for roof materials, application,
installation, etc. and Section 309 for roof and ceiling framing, and all other codes
that govern. A building permit is required if there is any wood to be replaced.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice
of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Roof Total \$
1.001 10ιαι ψ

## **Electrical**

Perform all electrical work per the local code and pay for all permits and fees.
Install a hard-wired carbon monoxide detector in a central location.
( A plug in detector that can be removed or unplugged is not acceptable.)
Install AC/DC tandem wired smoke detectors in a central location, one (1) in each
Sleeping room, on each additional story of the dwelling, including basements, but not
including crawl spaces and uninhabitable attics.
Repair all collateral damage caused by this modification to finish quality.
Electrical Total \$
GRAND TOTAL \$

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

Submitted below is my firm bid for the rehabilitation of a residence, located at
120 10 <sup>th</sup> Ave SW and in accordance with your invitation to bid dated
I the undersigned contractor, having inspected the property and familiarized myself with
the requirements of the work write-up, specifications and plans, do understand the extent
and character of the work to be done at:
120 10 <sup>th</sup> Ave SW
do propose to furnish all labor, material and equipment necessary to accomplish all of the
work called for that is required by the work write-up, specifications and drawings (if any)
for the rehabilitation of the property, for the sum of:
I will complete the work within calendar days after receipt of purchase order

Property Owner: Linda Marsette Address: 144 5<sup>th</sup> Ave SW

City and State: Birmingham, AL. 35211

Phone: (205)254-7390 Case No: FY15-028

Inspector RC

All work shall meet or exceed the requirements of the ICC Residential Code and
the Standard Building Code © Section 1501 for roof materials, application,
installation, etc. and Section 309 for roof and ceiling framing, and all other codes
that govern. A building permit is required if there is any wood to be replaced.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is fla
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice
of color)
, , , , , , , , , , , , , , , , , , ,
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Doof Total o
Roof Total \$

## **Electrical**

Perform all electrical work per the local code and pay for all permits and fees.
Replace flood light on right rear of house
Repair all collateral damage caused by this modification to finish quality.
Electrical Total \$
GRAND TOTAL \$

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

Property Owner: Idester Murphy Address: 4713 Ave R

City and State: Birmingham, AL 35208

Phone: (205) 925-1324 Case No: FY15-030

Inspector: A.B.

All work shall meet or exceed the requirements of the ICC Residential Code and
The Standard Building Code © Section 1501 for roof materials, application,
installation, etc. and Section 309 for roof and ceiling framing, and all other codes
that govern. Proper permitting shall be obtained for all applicable repairs to
roof.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Repair all collateral damage caused by this modification.
Roof Total \$

## Kitchen Repair

<ul> <li>Remove the existing base cabinet (includes 90 degree section turn).</li> <li>Install new base cabinet w/ laminate countertop and backsplash. (same size as existing)</li> </ul>
(Homeowners choice of color) solid wood core only, no particle-board will be
<ul> <li>accepted.</li> <li>Install new double bowl stainless steel sink, new faucet with sprayer (Moen, Delta, or equivalent), new cut-offs, supply lines, and drain lines.</li> <li>Repair all collateral damage caused by this modification.</li> </ul>
Kitchen Repair Total \$
<b>Bathroom and Plumbing Modifications</b>
ALL WORK IS TO BE DONE TO ANSI SPECIFICATIONS WHERE ACHIEVABLE
<ul> <li>Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.</li> <li>Replace showerhead and valves</li> </ul>
<ul><li>_ Install grab bars for tub access. (Minimum of two)</li><li>_ Install ADA approved slide bar shower massage unit.</li></ul>
<ul> <li>Install a good quality, chrome plated brass, lever style anti-scald shower valve and tul filler. (Moen, Delta, or equivalent)</li> <li>Repair all collateral damage caused by this modification.</li> </ul>
Bathroom and Plumbing Total \$
<u>Electrical</u>
Perform all electrical work per the local code and pay for all permits and fees Install a hard-wired carbon monoxide detector in a central location.
<ul> <li>( A plug in detector that can be removed or unplugged is not acceptable.)</li> <li>Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.</li> </ul>
<ul> <li>Replace the exterior <b>front porch</b> light and two flood lights.</li> <li>Repair all collateral damage caused by this modification to finish quality.</li> </ul>
Electrical Total \$
GRAND TOTAL \$

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

I will complete the work within\_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

Dollars (\$

Property Owner: Nakia Orum Address: 1528 1<sup>st</sup> Ave W

City and State: Birmingham, AL. 352

Phone: (205) Case No: FY15-031

Inspector RC

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes
that govern. A building permit is required if there is any wood to be replaced.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking. Repair overhang in front of
house.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is fla
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year dimensional class A fiberglass asphalt shingle. (Owners choice
of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Roof Total \$

Plumbing Repair
<ul> <li>Contractor is to perform all plumbing work per local code, Pay for all permits and impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted.</li> <li>Add hot and cold hook up and drain for washing machine.</li> </ul>
Plumbing Repair Total_\$
<u>Electrical</u>
<ul> <li>Perform all electrical work per the local code and pay for all permits and fees.</li> <li>Install a new 200-amp service. This includes the rigid service mast, entrance head, an breaker-box with breakers. All are to be new, unused material.</li> <li>Check all existing wiring, repair as needed, tighten connections and fixtures that ar loose and replace those that are faulty.</li> <li>Install a hard-wired carbon monoxide detector in a central location.</li> <li>(A plug in detector that can be removed or unplugged is not acceptable.)</li> <li>Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics.</li> <li>Install a 220v dryer plug</li> <li>Install a 120v plug for a washing machine</li> <li>Install a dryer vent</li> <li>Repair all collateral damage caused by this modification to finish quality.</li> </ul>

GRAND TOTAL \$\_\_\_\_\_

Electrical Total \$\_\_\_\_\_

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

Submitted below is my firm bid for the rehabilitation of a residence, located at

1528 1<sup>st</sup> Ave W and in accordance with your invitation to bid dated

\_\_\_\_\_\_.

I the undersigned contractor, having inspected the property and familiarized myself with the requirements of the work write-up, specifications and plans, do understand the extent and character of the work to be done at:

### 1528 1st Ave W

I will complete the work within\_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

Property Owner: Susie Parker 534 10<sup>th</sup> Ct West Address: City and State: Birmingham, AL. 35204 Phone: (205)593-8225 Case No: FY15-032 Inspector RC Plumbing Repair \_\_ Contractor is to perform all plumbing work per local code, Pay for all permits And impact fees. All materials used shall be (PEX) or non ferrous metals and insulated properly. No plastics or CPVC accepted. Ensure that all drain lines are leak free and in proper working order. Replace any lines necessary to ensure proper operation and venting. Repair all collateral damage caused by this modification to finish quality. Plumbing Repair Total \$ **Electrical** \_\_ Perform all electrical work per the local code and pay for all permits and fees. \_\_ Install a new 200-amp service. This includes the rigid service mast, entrance head, and breaker-box with breakers. All are to be new, unused material. \_\_ Replace all switches, plugs, and plates with new ones. \_\_ Add (17) 120 volt plugs in these rooms (3)in nook (1) in kitchen (2) in Bedroom #1 (1) in Dining Room (2) in Computer room (3) in Den (1)Hall (3) in Master Bedroom (1) in Bath Add a 220 volt stove outlet \_\_ Check all existing wiring, repair as needed, tighten connections and fixtures that are loose and replace those that are faulty. \_\_ Install a hard-wired carbon monoxide detector in a central location. ( A plug in detector that can be removed or unplugged is not acceptable.) \_\_ Install AC/DC tandem wired smoke detectors in a central location, one (1) in each sleeping room, on each additional story of the dwelling, including basements, but not including crawl spaces and uninhabitable attics. \_\_ Repair all collateral damage caused by this modification to finish quality. Electrical Total \$\_\_\_\_\_

GRAND TOTAL \$

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

and notice to proceed.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

I will complete the work within calendar days after receipt of purchase order	r
Dollars (\$	_)
for the rehabilitation of the property, for the sum of:	
work called for that is required by the work write-up, specifications and drawings (if a	ny)
do propose to furnish all labor, material and equipment necessary to accomplish all of	the

Property Owner: Juanita Parks

Address: 1108 40<sup>th</sup> St Ensley
City and State: Birmingham, AL 35218

Phone: (205) 783-9466

Case No: FY15-033

Inspector: A.B.

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. Proper permitting shall be obtained for all applicable repairs to
roof.
Areas that are found to be spaced decked shall be covered with ½" exterior grade
sheathing material after removing the existing decking. It is the contractors
responsibility to ensure the framing and structure will support the additional load.
Remove existing roofing materials down to bare decking.
Check all roof trusses/rafters and repair/replace to ensure that new roof structure is flat
and smooth without rises or depressions in roof system.
Replace all rotten, broken, un-even, weak, or deteriorated decking and framing.
Replaced/repaired decking shall be level and ready to accept felt and shingles.
Check all roof trusses for strength and stability before re-shingling house.
Remove all unused elements, vents, etc., that are not operational and close
them below roof level.
Re-flash all valleys, vents, roof openings, and chimneys.
Install new boots around all roof penetrations.
Haul away debris immediately.
Use a magnetic sweep around the perimeter of house and rake away any other debris.
Cover with 30# asphalt impregnated felt.
Prepare roof decking to accept a ridge vent.
Re-roof with a 30 year, class A fiberglass asphalt shingle. (Owners choice of color)
Shingles must be 1 <sup>st</sup> quality still in the wrapper. Seconds will not be accepted.
Install drip rail around perimeter of house. Shingles shall have ½" to 1½" overhang.
Install ridge vent or wind turbines, (minimum of two) as appropriate.
New roof shall be structurally sound and leak free.
Contractor shall warrant the roof to be completely leak free for one year.
Repair all collateral damage caused by this modification.
Roof Total \$

## Kitchen Repair

<ul> <li>Remove existing appliances from the kitchen.</li> <li>Remove 121 square foot section of existing floor covering. This area section is to</li> </ul>	
include the area at door leading to steps and the area surrounding kitchen sink.	
Replace all rotten, damaged or otherwise substandard flooring, subflooring, sills,	
floor framing, and floor supports.	
New floor must be level.	
Install additional support piers and beams if necessary to stabilize and level floor	
system.	
Piers must be on a masonry footing and of concrete masonry units or 4" steel colum All wooden components used in conjunction with the support piers and beams must be pressure treated lumber.	
Cover floor with appropriate underlayment and adhesive per manufacturers	
specifications.	
Install new sheet vinyl floor covering. The installed vinyl shall be equivalent to	
Mannington Commercial Resilient and have a minimum of a ten year warranty. No	
torn or patched vinyl will be accepted. Owners choice of color and pattern.	
Install and finish new shoe mold around entire room. Shoe mold must be painted or	
stained to match finish.	
Repair all collateral damage caused by this modification.	
Kitchen Repair Total \$	
<u>Electrical</u>	
Perform all electrical work per the local code and pay for all permits and fees.	
Install a new 200-amp service. This includes the rigid service mast, entrance head, a	ınd
breaker-box with breakers. All are to be new, unused material.	
Electrical panel is to be located inside of house.	
Rewire house as needed for code and safety requirements.	
Add outlet in <i>kitchen</i> for refrigerator.	
Replace all faulty switches, plugs, and plates with new ones.	
Replace existing ceiling light fixture and fluorescent light fixture above sink in	
kitchen.	
All connections are to be in electrical boxes.	
All exposed wires shall be in conduit.	
All exposed wifes shall be in conduit.	
An exposed whes shall be in conduit Replacement fixtures shall be 14" dome 2 bulb fixture minimum.	
*	are
Replacement fixtures shall be 14" dome 2 bulb fixture minimum.	are
<ul><li>Replacement fixtures shall be 14" dome 2 bulb fixture minimum.</li><li>Check all existing wiring, repair as needed, tighten connections and fixtures that a</li></ul>	are

W.E. Caffee Assistant Purchasing Agent Birmingham, Alabama

<u>All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code ©</u>

Any and all additions or alterations to the specifications listed above will REQUIRE a change order and will not be allowed unless first approved by the Housing Office Rehab Specialist and final approval by the CRG Program Director. If any such work outside these specifications is made without prior authorization it could result in a loss of payment for work performed outside the bid specifications.

<u>Contractor shall have a Purchase Order to cover any additional cost resulting from a change order prior to starting the related work.</u>

I will complete the work within\_\_\_\_\_ calendar days after receipt of purchase order and notice to proceed.

Dollars (\$

### BID FORM cont'd Signature Page

I hereby certify that we do not discriminate in employment of our personnel against any persons on account of race, creed, color, sex, or national origins, and acknowledges and agrees that the City encourages minority - and women – owned business participation to the maximum extent possible. This policy includes Historically Underutilized Business Enterprises such as architectural firms, engineering firms, investment banking firms, other professional service providers, and construction contractors as part of the City's business, economic and community revitalization programs.

EXCEPTIONS TO SPECIFICATIONS:						
Date of Bid	Company					
Name (Print Legibly or Type)	Street Address	Street Address				
Signature	City	State	 Zip			
organica e						
<u> Citle</u>	Post Office Box					
E-Mail Address	City	State	Zip			
Tax ID Number	Terms of Payment					
Telephone Number		As Stated In Bid Document Completion Date				
Fax Number	E Mail Address					
Bidder acknowledges receipt of		n (addenda) to this	bid pacl			
(14-26)  (0, 1, 2	2, 3, etc.)					

### INDICATE THE FOLLOWING ADDRESSES IF DIFFERENT FROM ABOVE:

- 1. BID AWARD NOTICE ADDRESS
- 2. PURCHASE ORDER ADDRESS
- 3. REMITTANCE ADDRESS (AND NAME IF DIFFERENT THAN ABOVE)

Return original bid in sealed envelope. Authorized signature of bidder must be in ink.

### ATTACHMENT A

### **AFFIDAVIT AND WARRANTY:**

The bidder warrants that the bid submitted is not made in collusion with any other bidders, or in the interest of or on behalf of an undisclosed party; that the bidder has not, directly or indirectly, induced any other bidder to put in a sham bid or to refrain from making a bid; and that bidder has not paid or agreed to pay to any party, either directly or indirectly, any money or other thing of value for assistance or aid rendered to or to be rendered in attempting to procure the bid for the privileges provided in this invitation. All the information contained in the bid may be relied upon by the City of Birmingham in awarding rehabilitation of houses under the critical repair grant program, and everything contained herein is warranted by the bidder to be true.

NAME OF BIDDER:	 	 
BY:		
ITS:		
DATE:	 	 
Witness	-	